



PowerCell Apex

100W 50,000mAh Portable power bank & wall charger

QUICK GUIDE

KPB-900



- | | | |
|-----------------------------------|--|--|
| 1 Battery level meter (%) | 6 Fast charging in progress indicator | 11 Cooling fan grill |
| 2 Power bank charging in progress | 7 USB-C port # 3 (PD 20W max.) | 12 LED light |
| 3 Charging in progress | 8 USB-A port # 2 (18W max.) | Press and hold the power button for 3 seconds to turn it on/off. Then press it to toggle between regular light and SOS signal modes. |
| 4 USB-C port # 2 (PD 20W max.) | 9 Power button. Press it twice to turn the power bank on/off | 13 Rubber handle |
| 5 USB-A port # 1 (18W max.) | 10 USB-C port # 1 (PD 100W max.) | |

Technical specifications

MODEL	KPB-900
PRODUCT TYPE	100W 50,000mAh Power Bank
BATTERY	
BATTERY CAPACITY	50,000mAh/3.7V/185Wh
INPUT	
TYPE-C1 INPUT	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (PD 100W)
CHARGING TIME WITH TYPE-C1 INPUT	3:30 h (using a 65W power adapter) *
OUTPUT	
NUMBER OF CHARGING OUTPUTS	5 ports (3 x USB-C PD + 2x USB-A)
TYPE-C1 OUTPUT	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (PD 100W)
TYPE-C2 OUTPUT	5V/3A/ 9V/2.22A, 12V/1.67A (PD 20W)
TYPE-C3 OUTPUT	5V/3A/ 9V/2.22A, 12V/1.67A (PD 20W)
USB-A1/A2 OUTPUT	5V/2.4A, 9V/2A, 12V/1.5A (18W max)
TYPE-C1 + TYPE-C2 + TYPE-C3 OUTPUT	C1(65W) + C2 (20W) + C3(20W). Total: 105W max.
MAXIMUM WATTAGE WHEN ALL PORTS ARE CONNECTED	(C1 65W) +(C2+A1 20W) + (C3+A2 20W): 105W max.
C2+A1	24W shared (5V/4.8A)
C3+A2	24W shared (5V/4.8A)
PHYSICAL APPEARANCE	
HOUSING MATERIAL	PC+ABS
COLOR	Black
USB-C TO USB-C CHARGING CABLE SPECS (AMPERAGE)	3A fast charging
USB-C TO USB-C CHARGING CABLE LENGTH	26.62 in
PRODUCT DIMENSIONS	6.10 x 3.30 x 3.30 in
PRODUCT WEIGHT	2.62 lb.
ADDITIONAL INFORMATION	
SPECIAL FEATURES	• Pass-through capability to alternate battery and wall charger modes • 8-mode smart multiprotection system: overcharge voltage protection, overcharge release voltage protection, over-discharge voltage protection, over-discharge release voltage protection, over-discharge current protection, short-circuit current protection, overcharge current protection, battery charging forbidden voltage. • LED display with battery level meter (%) and indicators for input/output modes and fast charging in progress • LED light • Power switch (to turn on/off the device and/or the LED light) • Ventilation unit for heat dissipation
BOX CONTENT	Power Bank, USB-C to USB-C charging cable, user quick guide
STANDARDS/CERTIFICATIONS	FCC/CE/RoHs
OPERATING TEMPERATURE	0–35°C
STORAGE TEMPERATURE	-10–60°C
RELATIVE HUMIDITY	20–90%
WARRANTY	1 year

*Adapter not included.

klipxtreme.com

Klip Xtreme® is a registered trademark. All rights reserved. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. All other trademarks and brand names are the property of their respective owners. Any mention of such is intended for identification purposes only, and therefore shall not be construed as a claim to any rights on, endorsement or sponsorship by, or affiliation with, those brands. Made in China.

ESP



- | | | |
|---|---|--|
| 1 Medidor de nivel de batería (%) | 6 Indicador de carga rápida en proceso | 11 Rejilla del ventilador de enfriamiento |
| 2 Recarga del banco de energía en proceso | 7 Puerto USB-C # 3 (PD 20W máx.) | 12 Luz LED
Mantén presionado el botón de encendido 3 segundos para encenderla o apagarla. Luego presiónalo para alternar entre los modos de luz normal y señal SOS. |
| 3 Carga en proceso | 8 Puerto USB-A # 2 (18W máx.) | 13 Asa de goma |
| 4 Puerto USB-C # 2 (PD 20W máx.) | 9 Botón de encendido.
Presiónalo dos veces para encender o apagar la estación de energía | |
| 5 Puerto USB-A # 1 (18W máx.) | 10 Puerto USB-C # 1 (PD 100W máx.) | |

Especificaciones técnicas

MODELO	KPB-900
TIPO DE PRODUCTO	Banco de energía de 100W 50000mAh
BATERÍA	
CAPACIDAD DE LA BATERÍA	50000mAh/3.7V/185Wh
ENTRADA	
ENTRADATIPO-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (PD 100W)
TIEMPO DE CARGA CON ENTRADA TIPO-C1	3:30 h (utilizando un adaptador de corriente de 65W) *
SALIDA	
NÚMERO DE SALIDAS DE CARGA	5 puertos (3 x USB-C PD + 2 x USB-A)
SALIDA TIPO-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (PD 100W)
SALIDA TIPO-C2	5V/3A/ 9V/2,22A, 12V/1,67A (PD 20W)
SALIDA TIPO-C3	5V/3A/ 9V/2,22A, 12V/1,67A (PD 20W)
SALIDA USB-A1/A2	5V/2,4A, 9V/2A, 12V/1,5A (18W máx.)
SALIDA TIPO-C1 + TIPO-C2 + TIPO-C3	C1 (65W) + C2 (20W) + C3 (20W). Total: 105W máx.
POTENCIA MÁXIMA CUANDO TODOS LOS PUERTOS ESTÁN CONECTADOS	(C1 65W) +(C2+A1 20W) + (C3+A2 20W): 105W máx.
C2+A1	24W compartidos (5V/4,8A)
C3+A2	24W compartidos (5V/4,8A)
APARIENCIA FÍSICA	
MATERIAL DE LA CARCASA	PC+ABS
COLOR	Negro
ESPECIFICACIONES DEL CABLE DE CARGA USB-C A USB-C (AMPERAJE)	Carga rápida de 3A
LONGITUD DEL CABLE DE CARGA USB-C A USB-C	60 cm
DIMENSIONES DEL PRODUCTO	14,5 x 8,4 x 8,4 cm
PESO DEL PRODUCTO	1,19 kg
INFORMACIÓN ADICIONAL	
CARACTERÍSTICAS ESPECIALES	• Capacidad de transferencia para alternar entre los modos de batería y cargador de pared • Sistema de protección múltiple inteligente de 8 modos: protección contra voltaje de sobrecarga, protección contra voltaje de liberación de sobrecarga, protección contra voltaje de sobredescarga, protección contra voltaje de liberación de sobredescarga, protección contra corriente de sobredescarga, protección contra corriente de cortocircuito, protección contra corriente de sobrecarga, voltaje prohibido de carga de batería. • Pantalla LED con medidor de nivel de batería (%) e indicadores de modos de entrada/salida y carga rápida en curso • Luz LED • Interruptor de encendido (para encender/apagar el dispositivo y/o la luz LED) • Unidad de ventilación para disipación del calor
BOX CONTENT	Banco de energía, cable de carga USB-C a USB-C, Guía rápida del usuario
STANDARDS/CERTIFICATIONS	FCC/CE/RoHs
OPERATING TEMPERATURE	0–35°C
STORAGE TEMPERATURE	-10–60°C
RELATIVE HUMIDITY	20–90%
WARRANTY	1 año

*No se incluye el adaptador.

klipxtreme.com

Klip Xtreme® is a registered trademark. All rights reserved. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. All other trademarks and brand names are the property of their respective owners. Any mention of such is intended for identification purposes only, and therefore shall not be construed as a claim to any rights on, endorsement or sponsorship by, or affiliation with, those brands. Made in China.



klipxtreme.com